Circulation Research

VOLUME 61 JULY-DECEMBER 1987

VOLUME AUTHOR INDEX

A

Aalkjær C, 181
Aarhus LL, 256
Abboud FM, 648
Abdul-Samad M, 641
Abelmann WH, 715
Abildgaard U, 194
Agerskov K, 194
Albrightson CR, 514
Alexander J Jr, 209
Amtorp O, 194
Anderson PAW, 465
Andresen MC, I-66
Andreadis NA, 420
Apstein CS, 925
Armstead WM, 570
Armstrong ML, 346, II-74
Arnsdorf MF, 244
Arthur JM, II-42
Ascuitto R, 847
Attenbreit BT, 787

B

Bache RJ, II-36
Bahinski A, 498
Baily R, I-87
Bárány K, 898
Bárány M, 898
Barcenas-Ruiz L, 148
Bardenheuer H, 594
Barger AC, 670
Barron KW, II-26
Barry WH, 726
Bassenge E, II-68
Bealer SL, 42, II-32
Benham CD, I-10
Bers DM, 761
Beydler S, 141
Biaggioni I, 779
Bing RJ, 548
Bishop VS, I-76
Blair IA, II-6
Bliss K, II-54
Bohlen HG, 616
Bonham AC, II-42
Bouvagnet P, 329
Brands DB, I-72
Bressack MA, 659
Broderick R, 523
Brody MJ, II-42
Brown AM, 409, I-6
Brown JH, 436
Buga GM, 866
Burgess JH, 797
Burnett JC Jr, 63
Busse R, II-68
Byrns RE, 866

C

Campbell KP, I-37
Campbell TJ, 50
Cannon NJ, 492
Cant JR, 670
Cantin M, 99
Canty JM Jr, II-107
Capasso J, 12
Capogrossi MC, 498
Catterall WA, I-24
Cavalié A, I-17
Chang N, 209
Chapleau MW, 648
Charlier AA, I-91
Chartrand C, 797
Chemla D, 107
Chen P, 236
Chen V, 847
Chew PH, 695
Chilian WM, II-47
Christensen NJ, 194
Chu A, 485, II-81
Clergue M, 107
Clowes AW, 296
Clowes MM, 296
Clusin WT, 934
Cobb FR, 485, II-81
Coetzee WA, 157
Cohen RA, 829
Colden-Stanfield M, 632
Coleman PB, 787
Colucci WS, I-82
Cooper G IV, 318
Copelas L, 70
Cornish KG, II-54
Coronado R, I-46
Corr PB, 352, 735
Covell JW, 20
Cox JW, 420
Cragoe EJ Jr, II-6
Craig WE, 220
Criley JM, 880
Cunningham MJ, 726
Curtis BM, I-24

D

Dai X-Z, II-36
Daly MJ, 560
Davies MJ, 757
Davis D, I-87
Day FP, I-87
Deen WM, 531
De Ferrari GM, 429
de Jong JW, 605
Desai N, 581
Diana JN, II-12
Dole WP, 904
Domalik-Wawrzynski LJ, 747
Downing SE, 847
Drake DH, 166
Duff HJ, 492
Duling BR, II-20
Dunham WR, 166
Dzau VJ, 670

E

Eastham CL, II-47
Edwards BS, 63
Egashira K, 772
Ekas R, II-124
Eldridge FL, I-53
Elz JS, 560
Engler R, 20
Entman ML, 301
Erdódi F, 898
Eskin SG, 632
Evers AS, 514

F

Faraci FM, II-102
Farhi ER, 670
Feiring AJ, II-117
Feldman MA, II-94
Feldman MD, 70
Ferry DR, I-30
Fixler D, 609
Fleming BP, II-26
Flockerzi V, I-17
Flynn JT, 420
Fort P, 337
Fortner CA, I-72
Frank JS, 141
Frazer M, II-6
Freedman RR, 581
Freeman GL, 455
Freeman RH, I-96
Freiman PC, II-74
Fujiwara T, 446
Fukuma K, 715

G

Gallagher KP, 166
Garcia R, 99
Garcia-Sáinz J, II-1
Garlick PB, 757
Gauthier DF, I-82
Gebhart GF, II-42
Gee MH, 420
Gerren RA, 166
Gillam LD, 77
Gilmore JP, 228
Glossmann H, I-30
Goll A, I-30
Gould KL, II-124
Graham RM, I-100
Grice WN, 925
Griffin AC, 514
Grigorian GY, 389
Grossman W, 70, 337
Guerrero JL, 77
Guerrero L, 747
Gurrola GB, I-6
Gutterman DD, II-42
Gwathmey JK, 70

H

Hackley J, II-54
Halperin HR, 695
Hamid MS, 687
Hanet C, I-91
Hanley DF, II-94
Harrison DG, II-74
Hartmann A, 548
Hashimoto K, 86
Hasser EM, I-76
Hayashi H, 124
Heagerty AM, 181
Healy B, 641
Hearse DJ, 757
Heathers GP, 735
Heesch CM, II-12
Heistad DD, 346, II-74, II-102
Henriksen O, 194
Herzog CA, II-36
Hess P, I-10
Heublein DM, 63
Higashi H, 555
Hiratzka LF, II-117
Hisano R, 318
Hoffman BB, 86
Hofmann F, I-17
Hollister AS, 779
Homcy CJ, I-100
Honda K, 86
Horowits R, 914
Hortop J, 659
Hosey MM, 379
Houser SR, 498
Howes TW, II-26
Hughes H, 301
Humphrey JD, 695
Hyman AL, 570

I

Ice KS, I-24
Ichikawa I, 531
Ignarro LJ, 866
Imaizumi T, 555
Ishimatsu T, 446
Isoyama S, 337, 925
Ito BR, 834
Itoh T, 446
Izumo S, 337

J

Jagels G, 880
Jalife J, 704
Janse MJ, 271
Jones AW, 1
Joyner WL, 228

K

Kadowitz PJ, 570
Kajiyama K, 301
Kangawa K, 555
Kanmura Y, 446
Kanter EM, 735
Kaplan HR, 539
Kass RS, I-1
Kaufman MP, I-60
Kaul S, 77
Kawai C, 715
Kiley JP, I-53
Kilpatrick D, 504
Kim D, 29
Kirby DA, 678
Kishimoto C, 715
Kléber AG, 271
Klocke FJ, II-107
Kobayashi M, 834
Kobylarz-Singer DC, 539
Komori K, 586
Komuro I, 859
Kranzhöfer R, 117
Kunze DL, 632, I-66
Kurabayashi M, 859
Kuribayashi K, 715

L

Lacerda AE, I-6
Laine GA, 203
Lakatta EG, 498
Lambert PP, 311
Lameire NH, 311
Lamping KG, 904
Langer GA, 805
Lappe RW, 134
Layne SM, II-47
Leatherman GF, I-82
Lecarpentier Y, 107
Lee HC, 934
Legault F, 797
Leger JJ, 329
Leparto L, 797
Limas C, 824
Limas CJ, 824
Limbird LE, II-6
Lindpaintner K, 55
Lippton HL, 570
Little WC, 455
Lopaschuk GD, 853
Lorell BH, 925
Ludmer PL, I-82
Lund DD, 55

M

Maan AC, 379
MacKinnon R, 70
Magliola L, 1
Majesky MW, 296
Malhotra A, 12
Manasek FJ, 287
Marcus ML, 346, II-42, II-47, II-74, II-117
Mark AL, 346
Marlow HF, I-91
Martin JL, 107
Masuda T, 715
Matsuo H, 555
Matyas EP, 704
Mayer E, 117
Mayhan WG, II-102
McClanahan TB, 166
McDonald TF, 124
McLeod JK, 625
McMillin-Wood JB, 301
Mehige ME, II-124
Michaels DC, 704
Miller JW, 220
Millhorn DE, I-53
Minotti JR, I-87
Montoya M, 329
Moosburger K, I-30
Morgan JP, 70
Morton NS, 659
Mossberg K, II-124
Mottino G, 141
Mulvany MJ, 181
Munch PA, 409
Murgo JP, 220

N

Nair UC, I-76
Nakamura M, 555, 772
Nakamura N, 555
Nassar R, 465
Navarro LT, 632
Nayler WG, 560
Needleman P, 514
Neveu S, 329
Niemann JT, 880
Ning X-H, 166
Nomoto K, 859

O

Okada A, 29
Okada RD, 77
Olafsson B, 779
Oliviero P, 107
Opie LH, 157
O'Rourke RA, 455

P

Paganelli WC, 670
Palacios I, 747
Pallandi RT, 50
Pandian NG, 77
Pappano AJ, 436, I-105
Parini A, I-100
Parrish MD, 609
Pasipoularides A, 220
Pauly DF, 301
Payne A, 609
Peeters GA, 726
Pelikan PCD, 880
Pelzer D, I-17
Perry MA, 50
Petersen KK, 181
Piegors DJ, 346
Pierce GN, 805
Pogwizd SM, 352
Pohl U, II-68
Polimeni PI, 787
Ponnambalam C, 124
Possani LD, I-6
Pouleur H, I-91
Powell WJ Jr, 747
Priori SG, 429
Proctor KG, 42, 187, II-32
Pullen RH, 420

Q

Quan WL, 815

R

Rabinovitch MA, 797
Raj JU, 236
Rakusan K, 641
Rasmussen CAF Jr, 726
Reed PW, II-6

Reedy MC, 465
Reiter SJ, II-117
Rennke HG, 531
Rich TL, 805
Richardt G, 117
Riegger CB, 271
Ritchie AK, 632
Robertson D, 779
Robertson RM, 779
Robison J, I-87
Rose CP, 797
Rosenblum WI, 602
Rosenthall L, 797
Ross-Ascuitto N, 847
Rouleau JL, 797
Rousseau MF, I-91
Rubanyi GM, II-61
Rudy Y, 815
Rumberger JA, II-117
Ryan US, 389
Rybicki KJ, I-60

S

Sabbah HN, 687
Sabharwal SC, 581
Saeed M, 548
Sagawa K, 209, 695
Salant DJ, 531
Sasaki T, 555
Satoh S, 446
Sawicki GJ, 244
Schaible TF, 12
Schaper W, 834
Scheuer J, 12
Schilling WP, 632
Schirger JA, 63
Schirmer M, I-30
Schmid PG, 55
Schoen FJ, 70, 337
Schömig A, 117
Schoutsen B, 605
Schwab TR, 63
Schwartz JS, II-36
Schwartz PJ, 429
Schwartz SM, 296
Schwartzberg MS, II-6
Segal SS, II-20
Sen AK, 372
Sharp AH, I-37
Shattock MJ, 761
Sheldon RS, 492
Shepard JM, 228
Shimokawa H, 256
Sinoway LI, I-87
Sjøntoft E, 194
Slater TF, 757
Smith AI, 625
Smith JK, II-26
Smith TW, 29
Soltis EE, 889
Somlyo AP, 523
Sorota S, I-105
Sparks HV Jr, 594
Stanford W, II-117
Stark C, II-117
Steffen RP, 539
Stein PD, 687
Striessnig J, I-30
Sugiyama T, 859
Suissa S, 797
Sunagawa K, 209
Sunahara FA, 372
Suzuki H, 586
Swales JD, 181
Sweatt JD, II-6
Sweeney LJ, 287
Swynghedauw B, 107

T

Taegtmeyer H, II-124
Takahashi M, I-24
Tahamont MV, 420
Tajima T, 436, I-105
Takaku F, 859
Takeshita A, 555
Tate H, 834
Thames MD, I-72
Thibault G, 99
Thoren PN, 409
Toda N, 280
Todt JA, 134
Tomioka N, 715
Tomoike H, 772
Trautwein W, I-17
Traystman RJ, II-94
Tsang H, 853
Tsien RW, I-10
Tsuji Y, 436, I-105
Tsujimoto G, 86
Turek Z, 641

U

Unthank JL, 616

V

Vanholder RC, 311
Vanhoutte PM, 256, II-61
Vari RC, I-96
Vatner SF, 678, II-88
Verburg KM, I-96
Villarreal D, I-96

W

Waas W, 117
Waldenström A, 107
Waldrop TG, I-53
Walker SJ, 504
Wei JY, 337
Weisbrod RM, 829
Weisfeidt ML, 695
Weishaar RE, 539
Wendt RL, 134
Werber AH, II-102
Wexler LF, 925
Weyman AE, 77
Whelton B, 594
White LBS, 625
Whitmer JT, 396
Wicker P, 641
Wieland DM, 797
Wier WG, 148
Wilson DA, II-94
Winegrad S, 914
Wood KS, 866
Woodcock EA, 625

X

Xia G, 880

Y

Yamada KA, 735
Yamamoto Y, 772
Yatani A, I-6
Yazaki Y, 859
Yin FCP, 695
Yoon SB, 301
Yoshioka T, 531
Young MA, II-88
Yuan S, 372
Yuih SN, I-72

Z

Zak R, 287
Zelis K, I-87
Zimmerman RS, 63
Zitnay KM, 829
Zuanetti G, 429
Zucker IH, II-54

Circulation Research

VOLUME 61 JULY-DECEMBER 1987

VOLUME SUBJECT INDEX

A

ADP
Porcine coronary arteries with regenerated endothelium have a reduced endothelium-dependent responsiveness to aggregating platelets and serotonin, 256

ATP
L-Carnitine treatment improves cardiac performance and restores high-energy phosphate pools in cardiomyopathic Syrian hamster, 396

ATP deletion
Role of changes in $[Ca^{2+}]_i$ in energy deprivation contracture, 726

ATPase activity
Isolation and characterization of myosin heavy chain isozymes of the bovine conduction system, 859

ATPase, myosin
cAMP regulation of myosin ATPase activity in the maturing rat heart, 914

AV3V
Preoptic hypothalamic control of arteriolar vasodilatory responses, II-32

Abluminal release of EDRF
Abluminal release and asymmetrical response of the rabbit arterial wall to endothelium-derived relaxing factor, II-68

Abnormal automaticity
Synchronous occurrence of spontaneous localized calcium release from the sarcoplasmic reticulum generates action potentials in rat cardiac ventricular myocytes at normal resting membrane potential, 498

Acetylcholine
Adenosine release by the isolated guinea pig heart in response to isoproterenol, acetylcholine, and acidosis: The minimal role of vascular endothelium, 594
Alterations of vascular reactivity in atherosclerosis, II-74
Electrical responses of smooth muscle cells during cholinergic vasodilation in the rabbit saphenous artery, 586
Mechanisms of sinoatrial pacemaker synchronization: A new hypothesis, 704
Nature of endothelium-derived relaxing factor: Are there two relaxing mediators? II-61
Propagation of vasodilation in resistance vessels of the hamster: Development and review of a working hypothesis, II-20

Acidosis
Adenosine release by the isolated guinea pig heart in response to isoproterenol, acetylcholine, and acidosis: The minimal role of vascular endothelium, 594

Action potential
Inotropic response to hypothermia and the temperature-dependence of ryanodine action in isolated rabbit and rat ventricular muscle: Implications for excitation-contraction coupling, 761

Action potential amplitude
Electrical uncoupling and increase of extracellular resistance after induction of ischemia in isolated, arterially perfused rabbit papillary muscle, 271

Action potentials, cardiac
Proarrhythmic effects of an oxygen-derived free radical generating system on action potentials recorded from guinea pig ventricular myocardium: A possible cause of reperfusion-induced arrhythmias, 50

Adenosine
Adenosine inhibits exocytotic release of endogenous noradrenaline in rat heart: A protective mechanism in early myocardial ischemia, 117
Adenosine release by the isolated guinea pig heart in response to isoproterenol, acetylcholine, and acidosis: The minimal role of vascular endothelium, 594
Cardiovascular and respiratory effects of adenosine in conscious man: Evidence for chemoreceptor activation, 779

Adenosine A_1 receptor
Adenosine inhibits exocytotic release of endogenous noradrenaline in rat heart: A protective mechanism in early myocardial ischemia, 117

Adenylate cyclase
Influence of thyroid status on intracellular distribution of cardiac adrenoceptors, 824

Adrenergic
Blood flow- and endothelium-mediated vasomotion of iliac arteries in conscious dogs, II-88

β-Adrenergic
cAMP regulation of myosin ATPase activity in the maturing rat heart, 914

α-Adrenergic constriction
Effects of epinephrine on coronary microvascular diameters, II-47

Adrenergic coronary vasoconstriction
Effects of nonselective and selective α_1-adrenergic blockade on coronary blood flow during exercise, II-36

Adrenergic nerves
Response of the microcirculation in rat cremaster muscle to peripheral and central sympathetic stimulation, II-26

Adrenoceptors
Influence of thyroid status on intracellular distribution of cardiac adrenoceptors, 824

α-Adrenoceptors
Influence of calcium-entry blockade on vasoconstrictor responses in feline mesenteric vascular bed, 570

α_1-Adrenoceptors
Pathways of α_1-adrenergic action: Comparison with V_1-vasopressin and A_1-angiotensin, II-1
Stimulation of phosphatidylinostitol metabolism in the isolated, perfused rat heart, 625

β-Adrenoceptors
Left ventricular sensitivity to β-adrenoceptor-stimulating drugs in patients with ischemic heart disease and varying degrees of ventricular dysfunction, I-91

Aequorin
Abnormal intracellular calcium handling in myocardium from patients with end-stage heart failure, 70

Afterload
Effect of age on the development of cardiac hypertrophy produced by aortic constriction in the rat, 337

Age-related
Effect of age on blood pressure and membrane-dependent vascular responses in the rat, 889

Aging, adult
Effect of age on the development of cardiac hypertrophy produced by aortic constriction in the rat, 337

Agonists
Voltage-dependent modulation of cardiac calcium channel current by optical isomers of Bay K 8644: Implications for channel gating, I-1

Aldosterone
Cardio-renal-endocrine dynamics during stepwise infusion of physiologic and pharmacologic concentrations of atrial natriuretic factor in the dog, 63

Amrinone
Negative inotropic effects of amrinone in the neonatal piglet heart, 847

Angina
Acute decrease in left ventricular diastolic chamber distensibility during simulated angina in isolated hearts, 925

Angiotensin
Selective antagonism of hormone-induced vasoconstriction by synthetic atrial natriuretic factor in the rat microcirculation, 42

Angiotensin I
Hypoxia does not alter angiotensin converting enzyme activity in hamster pulmonary microvessels, 228
Angiotensin II
Dual effects of norepinephrine and mechanisms of baroreceptor stimulation, 409
Pathways of α_1-adrenergic action: Comparison with V_1-vasopressin and A_1-angiotensin, II-1
Stimulus-response curve of the renal baroreceptor: Effect of converting enzyme inhibition and changes in salt intake, 670
Angiotensin conversion
Hypoxia does not alter angiotensin converting enzyme activity in hamster pulmonary microvessels, 228
Anionic polyacrylamide
Effects of a drag-reducing polyelectrolyte of microscopic linear dimension (Separan AP-273) on rat hemodynamics, 787
Antagonist-receptor complex: (+)-PN 200-110
Comparison of molecular properties of the voltage-sensitive Ca^{2+} channel from longitudinal smooth muscle of rabbit ileum with the channel purified from transverse tubules of rabbit skeletal muscle, I-24
Antagonists
Voltage-dependent modulation of cardiac calcium channel current by optical isomers of Bay K 8644: Implications for channel gating, I-1
Antagonists, Ca^{2+}
Depolarization-stimulated $^{42}K^+$ efflux in rat aorta is calcium- and cellular volume-dependent, 1
Antiarrhythmia drugs
Effects of quinidine sulfate on the balance among active and passive cellular properties that comprise the electrophysiologic matrix and determine excitability in sheep Purkinje fibers, 244
Antiarrhythmic therapy
Reentrant and nonreentrant mechanisms contribute to arrhythmogenesis during early myocardial ischemia: Results using three-dimensional mapping, 352
Antibodies
Affinity purification of antibodies specific for 1,4-dihydropyridine Ca^{2+} channel blockers, I-37
Interaction between calcium channel ligands and calcium channels, I-30
Aorta
Dual effects of norepinephrine and mechanisms of baroreceptor stimulation, 409
Effect of age on blood pressure and membrane-dependent vascular responses in the rat, 889
Arachidonic acid
Evidence for a role for Na^+–H^+ exchange in activation of human platelets by PAF, II-6
Nature of endothelium-derived relaxing factor: Are there two relaxing mediators? II-61
Area at risk
Effects of selectively altering collateral driving pressure on regional perfusion and function in occluded coronary bed in the dog, 77
Arginine vasopressin
Influence of chemoreceptors on neurohypophyseal blood flow during hypoxic hypoxia, II-94
Arrhythmias
Effects of components of ischemia and metabolic inhibition on delayed afterdepolarizations in guinea pig papillary muscle, 157
Effects of quinidine sulfate on the balance among active and passive cellular properties that comprise the electrophysiologic matrix and determine excitability in sheep Purkinje fibers, 244
Proarrhythmic effects of an oxygen-derived free radical generating system on action potentials recorded from guinea pig ventricular myocardium: A possible cause of reperfusion-induced arrhythmias, 50
Synchronous occurrence of spontaneous localized calcium release from the sarcoplasmic reticulum generates action potentials in rat cardiac ventricular myocytes at normal resting membrane potential, 498
Arterial chemoreceptors
Influence of chemoreceptors on neurohypophyseal blood flow during hypoxic hypoxia, II-94
Arterial hypoxemia
Influence of chemoreceptors on neurohypophyseal blood flow during hypoxic hypoxia, II-94
Arterial injury
Heparin regulates smooth muscle S phase entry in the injured rat carotid artery, 296
Arterial smooth muscle
Depolarization-stimulated $^{42}K^+$ efflux in rat aorta is calcium- and cellular volume-dependent, 1
Arterioles
Preoptic hypothalamic control of arteriolar vasodilatory responses, II-32
Selective antagonism of hormone-induced vasoconstriction by synthetic atrial natriuretic factor in the rat microcirculation, 42
Artery
Two types of calcium channels in single smooth muscle cells from rabbit ear artery studied with whole-cell and single-channel recordings, I-10
Ascites formation
Endogenous atrial natriuretic factor in dogs with caval constriction, I-96
Asymmetry of the vascular wall
Abluminal release and asymmetrical response of the rabbit arterial wall to endothelium-derived relaxing factor, II-68
Atherosclerosis
Alterations of vascular reactivity in atherosclerosis, II-74
Attenuation of endothelium-related relaxation and enhanced responsiveness of vascular smooth muscle to histamine in spastic coronary arterial segments from miniature pigs, 772
Porcine coronary arteries with regenerated endothelium have a reduced endothelium-dependent responsiveness to aggregating platelets and serotonin, 256
Atrial appendages
Role of right and left atria in natriuresis and atrial natriuretic factor release during blood volume changes in the conscious rat, 99
Atrial mechanoreceptor
Ionic sensitivity of baroreceptors, I-66
Atrial natriuretic factor
Cardio-renal-endocrine dynamics during stepwise infusion of physiologic and pharmacologic concentrations of atrial natriuretic factor in the dog, 63
Role of right and left atria in natriuresis and atrial natriuretic factor release during blood volume changes in the conscious rat, 99
Atrial natriuretic factor, plasma immunoreactive
Endogenous atrial natriuretic factor in dogs with caval constriction, I-96
Atrial natriuretic peptide
Effects of atrial natriuretic factor on the vasoconstrictor actions of the renin-angiotensin system in conscious rats, 134
Effects of atrial natriuretic peptide on proximal epicardial coronary arteries and coronary blood flow in conscious dogs, 485
Atrial stiffness
Instantaneous pressure-volume relation of the ejecting canine left atrium, 209
Atrial volume
Instantaneous pressure-volume relation of the ejecting canine left atrium, 209
Automaticity
Effects of components of ischemia and metabolic inhibition on delayed afterdepolarizations in guinea pig papillary muscle, 157
Autonomic nervous system
Effects of atrial natriuretic peptide on proximal epicardial coronary arteries and coronary blood flow in conscious dogs, 485
Long-chain acylcarnitines mediate the hypoxia-induced increase in α_1-adrenergic receptors on adult canine myocytes, 735
Autoregulation
Cerebral circulation: Effects of sympathetic nerves and protective mechanisms during hypertension, II-102

B

Baroreceptor
Dual effects of norepinephrine and mechanisms of baroreceptor stimulation, 409

Ionic sensitivity of baroreceptors, I-66
Baroreceptor, renal
Stimulus-response curve of the renal baroreceptor: Effect of converting enzyme inhibition and changes in salt intake, 670
Baroreflex
Enhanced responsiveness to carotid baroreceptor unloading in conscious dogs during development of perinephritic hypertension, 678
Baroreflex, cardiopulmonary
Attenuation of reflex forearm vasoconstriction by α-human atrial natriuretic peptide in men, 555
Baroreflex function
Baroreflex control of renal nerve activity in conscious animals, I-76
Baroreflexes, arterial
Control of lumbar sympathetic nerve traffic by vagal cardiopulmonary baroreflexes in renal hypertension, I-72
[^{3}H]Batrochotoxin benzoate
A receptor for type I antiarrhythmic drugs associated with rat cardiac sodium channels, 492
Bay K 8644
Ionic sensitivity of baroreceptors, I-66
Trans-sarcolemmal Ca^{2+} movements associated with contraction of the rabbit right ventricular wall, 805
Bioassay
Abluminal release and asymmetrical response of the rabbit arterial wall to endothelium-derived relaxing factor, II-68
Nature of endothelium-derived relaxing factor: Are there two relaxing mediators? II-61
Bioprosthetic valves
Vibrational analysis of bioprosthetic heart valve leaflets using numerical models: Effects of leaflet stiffening, calcification, and perforation, 687
Blood acceleration
Nonobstructive left ventricular ejection pressure gradients in man, 220
Blood–brain barrier
Cerebral circulation: Effects of sympathetic nerves and protective mechanisms during hypertension, II-102
Blood flow
Influence of chemoreceptors on neurohypophyseal blood flow during hypoxic hypoxia, II-94
Response of the microcirculation in rat cremaster muscle to peripheral and central sympathetic stimulation, II-26
Blood flow, myocardial
Changes in contractility fail to alter the size of the functional border zone in anesthetized dogs, 166
Blood flow, organ
Group B streptococcal sepsis in the piglet: Effects of fluid therapy on venous return, organ edema, and organ blood flow, 659
Blood pressure
Contrasting effects of static and pulsatile pressure on carotid baroreceptor activity in dogs, 648
Control of lumbar sympathetic nerve traffic by vagal cardiopulmonary baroreflexes in renal hypertension, I-72
Desensitization of postjunctional α_1- and α_2-adrenergic receptor-mediated vasopressor responses in rat harboring pheochromocytoma, 86
Role of right and left atria in natriuresis and atrial natriuretic factor release during blood volume changes in the conscious rat, 99
Bonds, disulfide
Structural properties of the α_1-adrenergic receptor: Studies with membrane and purified receptor preparations, I-100
Bonds, hydrophobic and ionic
Structural properties of the α_1-adrenergic receptor: Studies with membrane and purified receptor preparations, I-100
Bradykinin
Bradykinin-induced increases in cytosolic calcium and ionic currents in cultured bovine aortic endothelial cells, 632
Effect of endogenously produced leukotrienes and thromboxane on renal vascular resistance in rabbit hydronephrosis, 514
Hydroxyl radical mediates the endothelium-dependent relaxation produced by bradykinin in mouse cerebral arterioles, 602
Porcine coronary arteries with regenerated endothelium have a reduced endothelium-dependent responsiveness to aggregating platelets and serotonin, 256
Brain microcirculation
Hydroxyl radical mediates the endothelium-dependent relaxation produced by bradykinin in mouse cerebral arterioles, 602
Brainstem
Cerebral circulation: Effects of sympathetic nerves and protective mechanisms during hypertension, II-102
Neurogenic regulation of coronary blood flow: Evidence for a central nervous system pathway, II-42
Breathing, control of
Diencephalic regulation of respiration and arterial pressure during actual and fictive locomotion in cat, I-53
2,3-Butanedione monoxine
Contracture and the calcium paradox in the rat heart, 560
Bypass graft
Quantification of coronary artery bypass flow reserve in dogs using cine-computed tomography, II-117

C

cAMP
Subclasses of cyclic AMP-specific phosphodiesterase in left ventricular muscle and their involvement in regulating myocardial contractility, 539
cAMP contractility
cAMP regulation of myosin ATPase activity in the maturing rat heart, 914
cGMP
Endothelium-derived relaxing factor from pulmonary artery and vein possesses pharmacologic and chemical properties identical to those of nitric oxide radical, 866
Ca-ATPase
Control of cytosolic calcium activity during low sodium exposure in cultured chick heart cells, 29
Cable analysis and properties
Effects of quinidine sulfate on the balance among active and passive cellular properties that comprise the electrophysiologic matrix and determine excitability in sheep Purkinje fibers, 244
Electrical uncoupling and increase of extracellular resistance after induction of ischemia in isolated, arterially perfused rabbit papillary muscle, 271
Calcium
Effect of age on blood pressure and membrane-dependent vascular responses in the rat, 889
Evidence for increased media thickness, increased neuronal amine uptake, and depressed excitation–contraction coupling in isolated resistance vessels from essential hypertensives, 181
Nature of endothelium-derived relaxing factor: Are there two relaxing mediators? II-61
Reversibly injured, postischemic canine myocardium retains normal contractile reserve, 834
Role of changes in $[Ca^{2+}]_i$ in energy deprivation contracture, 726
Calcium antagonists
Affinity purification of antibodies specific for 1,4-dihydropyridine Ca^{2+} channel blockers, I-37
Ionic sensitivity of baroreceptors, I-66
Calcium channel
Analysis of the properties of binding of calcium-channel activators and inhibitors to dihydropyridine receptors in chick heart membranes, 379
Modulation of calcium channel function by phosphorylation in guinea pig ventricular cells and phospholipid bilayer membranes, I-17
Neurotoxins that act selectively on voltage-dependent cardiac calcium channels, I-6
Two types of calcium channels in single smooth muscle cells from rabbit ear artery studied with whole-cell and single-channel recordings, I-10
Voltage-dependent modulation of cardiac calcium channel current by optical isomers of Bay K 8644: Implications for channel gating, I-1
Calcium channel, purified
Comparison of molecular properties of the voltage-sensitive Ca^{2+} channel from longitudinal smooth muscle of rabbit ileum with the channel purified from transverse tubules of rabbit skeletal muscle, I-24

Calcium channel, smooth muscle
Comparison of molecular properties of the voltage-sensitive Ca^{2+} channel from longitudinal smooth muscle of rabbit ileum with the channel purified from transverse tubules of rabbit skeletal muscle, I-24
Calcium channel, voltage-dependent
Interaction between calcium channel ligands and calcium channels, I-30
Calcium channels, voltage-sensitive
Bradykinin-induced increases in cytosolic calcium and ionic currents in cultured bovine aortic endothelial cells, 632
Comparison of molecular properties of the voltage-sensitive Ca^{2+} channel from longitudinal smooth muscle of rabbit ileum with the channel purified from transverse tubules of rabbit skeletal muscle, I-24
Calcium entry blockade
Influence of calcium-entry blockade on vasoconstrictor responses in feline mesenteric vascular bed, 570
Calcium flux, trans-sarcolemmal
Trans-sarcolemmal Ca^{2+} movements associated with contraction of the rabbit right ventricular wall, 805
Calcium indicators
Abnormal intracellular calcium handling in myocardium from patients with end-stage heart failure, 70
Calcium influx, receptor-operated
Mechanisms of flunarizine-induced vasodilation in the rabbit mesenteric artery, 446
Calcium influx, voltage-dependent
Mechanisms of flunarizine-induced vasodilation in the rabbit mesenteric artery, 446
Calcium, intracellular
Voltage dependence of intracellular $[Ca^{2+}]_i$ transients in guinea pig ventricular myocytes, 148
Calcium oscillations, spontaneous
Synchronous occurrence of spontaneous localized calcium release from the sarcoplasmic reticulum generates action potentials in rat cardiac ventricular myocytes at normal resting membrane potential, 498
Calcium overload
Contracture and the calcium paradox in the rat heart, 560
Calcium paradox
Contracture and the calcium paradox in the rat heart, 560
Calcium release, Ca^{2+}-induced
Voltage dependence of intracellular $[Ca^{2+}]_i$ transients in guinea pig ventricular myocytes, 148
Calcium release, inositol trisphosphate-induced
Mechanisms of flunarizine-induced vasodilation in the rabbit mesenteric artery, 446
Calcium single channels
Planar bilayer reconstitution of calcium channels: Lipid effects on single-channel kinetics, I-46
Calcium transients
Cytosolic calcium staircase in cultured myocardial cells, 934
Carbachol
Positive vs. negative inotropic effects of carbachol in avian atrial muscle: Role of N_1-like protein, I-105
Cardiac Purkinje fibers
Effects of quinidine sulfate on the balance among active and passive cellular properties that comprise the electrophysiologic matrix and determine excitability in sheep Purkinje fibers, 244
Cardiac energetics
Correlation of force-length area with oxygen consumption in ferret papillary muscle, 318
Cardiac excitability
Effects of quinidine sulfate on the balance among active and passive cellular properties that comprise the electrophysiologic matrix and determine excitability in sheep Purkinje fibers, 244
Cardiac function
Tumor-promoting phorbol esters inhibit cardiac functions and induce redistribution of protein kinase C in perfused beating rat heart, 372
L-Carnitine treatment improves cardiac performance and restores high-energy phosphate pools in cardiomyopathic Syrian hamster, 396
Cardiac hypertrophy
Abnormal intracellular calcium handling in myocardium from patients with end-stage heart failure, 70
Effects of chronic progressive myocardial hypertrophy on indexes of cardiac autonomic innervation, 55
Major alterations in relaxation during cardiac hypertrophy induced by aortic stenosis in guinea pig, 107
Cardiac mechanics
Correlation of force-length area with oxygen consumption in ferret papillary muscle, 318
Instantaneous pressure-volume relation of the ejecting canine left atrium, 209
Nonobstructive left ventricular ejection pressure gradients in man, 220
Cardiac myocytes
Developmental changes in the ultrastructure and sarcomere shortening of the isolated rabbit ventricular myocyte, 465
Synchronous occurrence of spontaneous localized calcium release from the sarcoplasmic reticulum generates action potentials in rat cardiac ventricular myocytes at normal resting membrane potential, 498
Cardiac output
Enhanced responsiveness to carotid baroreceptor unloading in conscious dogs during development of perinephritic hypertension, 678
Cardiac receptors
Effects of left ventricular receptor stimulation on coronary blood flow in conscious dogs, II-54
Cardiomyopathy
L-Carnitine treatment improves cardiac performance and restores high-energy phosphate pools in cardiomyopathic Syrian hamster, 396
Cardiomyopathy, hypertrophic
Abnormal intracellular calcium handling in myocardium from patients with end-stage heart failure, 70
Cardiotonic agents
Subclasses of cyclic AMP-specific phosphodiesterase in left ventricular muscle and their involvement in regulating myocardial contractility, 539
Carnitine
L-Carnitine treatment improves cardiac performance and restores high-energy phosphate pools in cardiomyopathic Syrian hamster, 396
Carotid body chemoreceptor
Cardiovascular and respiratory effects of adenosine in conscious man: Evidence for chemoreceptor activation, 779
Carotid sinus
Contrasting effects of static and pulsatile pressure on carotid baroreceptor activity in dogs, 648
Enhanced responsiveness to carotid baroreceptor unloading in conscious dogs during development of perinephritic hypertension, 678
Catecholamines
Catecholamine stimulation, substrate competition and myocardial glucose uptake in conscious dogs assessed with positron emission tomography, II-124
Desensitization of postjunctional α_1- and α_2-adrenergic receptor-mediated vasopressor responses in rat harboring pheochromocytoma, 86
Cell-to-cell communication
Propagation of vasodilation in resistance vessels of the hamster: Development and review of a working hypothesis, II-20
Cell cycle
Heparin regulates smooth muscle S phase entry in the injured rat carotid artery, 296
Cellular properties, active and passive
Effects of quinidine sulfate on the balance among active and passive cellular properties that comprise the electrophysiologic matrix and determine excitability in sheep Purkinje fibers, 244
Central venous pressure
Attenuation of reflex forearm vasoconstriction by α-human atrial natriuretic peptide in men, 555
Endogenous atrial natriuretic factor in dogs with caval constriction, I-96
Chloro-adenosine
Intestinal arteriolar responses to mucosal and serosal applications of adenosine analogues, 187

Choline acetyltransferase
Effects of chronic progressive myocardial hypertrophy on indexes of cardiac autonomic innervation, 55
Chronic coronary stenosis
Reductions in regional myocardial function at rest in conscious dogs with chronically reduced regional coronary artery pressure, II-107
Chronic sodium retention
Endogenous atrial natriuretic factor in dogs with caval constriction, I-96
Cine-CT
Quantification of coronary artery bypass flow reserve in dogs using cine-computed tomography, II-117
Circulation, control of
Diencephalic regulation of respiration and arterial pressure during actual and fictive locomotion in cat, I-53
Circulation, peripheral
Dietary treatment of atherosclerosis abolishes hyperresponsiveness to serotonin: Implications for vasospasm, 346
Coenzyme A
Metabolism of palmitate in isolated working hearts from spontaneously diabetic "BB" Wistar rats, 853
Collateral coronary circulation
Reductions in regional myocardial function at rest in conscious dogs with chronically reduced regional coronary artery pressure, II-107
Collateral driving pressure
Effects of selectively altering collateral driving pressure on regional perfusion and function in occluded coronary bed in the dog, 77
Compartmentation, cellular
Adenosine release by the isolated guinea pig heart in response to isoproterenol, acetylcholine, and acidosis: the minimal role of vascular endothelium, 594
Compliance, atrial
Instantaneous pressure-volume relation of the ejecting canine left atrium, 209
Conduction, cell-to-cell
A model study of the effects of the discrete cellular structure on electrical propagation in cardiac tissue, 815
Compliance, diastolic
Acute decrease in left ventricular diastolic chamber distensibility during simulated angina in isolated hearts, 925
Conduction, sinoatrial
Mechanisms of sinoatrial pacemaker synchronization: a new hypothesis, 704
Conduction system, cardiac
Isolation and characterization of myosin heavy chain isozymes of the bovine conduction system, 859
Conduction tissue
Developmental changes in the human cardiac isomyosin distribution: an immunohistochemical study using monoclonal antibodies, 329
Conduction velocity
Electrical uncoupling and increase of extracellular resistance after induction of ischemia in isolated, arterially perfused rabbit papillary muscle, 271
Congestive heart failure
Norepinephrine kinetics during orthostatic stress in congestive heart failure, I-87
Conscious dogs
Endogenous atrial natriuretic factor in dogs with caval constriction, I-96
Enhanced responsiveness to carotid baroreceptor unloading in conscious dogs during development of perinephritic hypertension, 678
Contractility
Effects of gonadectomy and hormonal replacement on rat hearts, 12
Subclasses of cyclic AMP-specific phosphodiesterase in left ventricular muscle and their involvement in regulating myocardial contractility, 539
Contractility, LV
Negative inotropic effects of amrinone in the neonatal piglet heart, 847
Contractility, myocardial
Change in $(dP/dt)_{max}$ as an index of myocardial microvascular permeability, 203
Contraction
Depolarization-stimulated $^{42}K^+$ efflux in rat aorta is calcium- and cellular volume-dependent, 1
Contracture
Contracture and the calcium paradox in the rat heart, 560
Role of changes in $[Ca^{2+}]_i$ in energy deprivation contracture, 726
Converting enzyme inhibitor
Stimulus-response curve of the renal baroreceptor: Effect of converting enzyme inhibition and changes in salt intake, 670
Coronary artery
Accumulation of 5-hydroxytryptamine leads to dysfunction of adrenergic nerves in canine coronary artery following intimal damage in vivo, 829
Nature of endothelium-derived relaxing factor: Are there two relaxing mediators? II-61
Vasoactive effects of serotonin on proximal coronary arteries in awake dogs, II-81
Coronary artery, human
Mechanism of histamine actions in human coronary arteries, 280
Coronary artery spasm
Attenuation of endothelium-related relaxation and enhanced responsiveness of vascular smooth muscle to histamine in spastic coronary arterial segments from miniature pigs, 772
Coronary blood flow
Effects of atrial natriuretic peptide on proximal epicardial coronary arteries and coronary blood flow in conscious dogs, 485
Effects of epinephrine on coronary microvascular diameters, II-47
Effects of left ventricular receptor stimulation on coronary blood flow in conscious dogs, II-54
Coronary blood flow, early diastolic
Effect of changes in ventricular relaxation on early diastolic coronary blood flow in canine hearts, 747
Coronary diameter
Acute hypertension selectively potentiates constrictor responses of large coronary arteries to serotonin by altering endothelial function in vivo, 904
Coronary dilation, epicardial
Effects of atrial natriuretic peptide on proximal epicardial coronary arteries and coronary blood flow in conscious dogs, 485
Coronary flow
Effects of atrial natriuretic peptide on proximal epicardial coronary arteries and coronary blood flow in conscious dogs, 485
Negative inotropic effects of amrinone in the neonatal piglet heart, 847
Vasoactive effects of serotonin on proximal coronary arteries in awake dogs, II-81
Coronary occlusion
Changes in contractility fail to alter the size of the functional border zone in anesthetized dogs, 106
Coronary reserve
Failure of swimming exercise to improve capillarization in cardiac hypertrophy of renal hypertensive rats, 641
Coronary sinus Po_2
Effects of nonselective and selective α_1-adrenergic blockade on coronary blood flow during exercise, II-36
Coronary vasoconstriction
Neurogenic regulation of coronary blood flow: Evidence for a central nervous system pathway, II-42
Currents
Bradykinin-induced increases in cytosolic calcium and ionic currents in cultured bovine aortic endothelial cells, 632
Cynomolgus monkeys
Alterations of vascular reactivity in atherosclerosis, II-74
Dietary treatment of atherosclerosis abolishes hyperresponsiveness to serotonin: Implications for vasospasm, 346
Cytochrome P_{450}
Nature of endothelium-derived relaxing factor: Are there two relaxing mediators? II-61

D

Decarboxylase
Heparin regulates smooth muscle S phase entry in the injured rat carotid artery, 296
Delayed afterdepolarizations
Arrhythmic activity in reoxygenated guinea pig papillary muscles and ventricular cells, 124

Denervation, acute and chronic
Renal vascular adjustments to partial renal venous obstruction in dog kidney, 194
Depolarization
Positive vs. negative inotropic effects of carbachol in avian atrial muscle: Role of N_i-like protein, I-105
Depolarization, K^+
Depolarization-stimulated $^{42}K^+$ efflux in rat aorta is calcium- and cellular volume-dependent, I
Desensitization
Desensitization of postjunctional α_1- and α_2-adrenergic receptor-mediated vasopressor responses in rat harboring pheochromocytoma, 86
Developing heart
Global myocardial ischemia in the newborn, juvenile, and adult isolated isovolumic rabbit heart: Age-related differences in systolic function, diastolic stiffness, coronary resistance, myocardial oxygen consumption, and extracellular pH, 609
Development
Age-dependent increase in xanthine oxidoreductase differs in various heart cell types, 605
Developmental changes in the ultrastructure and sarcomere shortening of the isolated rabbit ventricular myocyte, 465
Developmental changes in the human cardiac isomyosin distribution: an immunohistochemical study using monoclonal antibodies, 329
Diabetes
Metabolism of palmitate in isolated working hearts from spontaneously diabetic "BB" Wistar rats, 853
Diastole
Acute decrease in left ventricular diastolic chamber distensibility during simulated angina in isolated hearts, 925
Diffusion of EDRF
Abluminal release and asymmetrical response of the rabbit arterial wall to endothelium-derived relaxing factor, II-68
Dihydropyridine
Affinity purification of antibodies specific for 1,4-dihydropyridine Ca^{2+} channel blockers, I-37
Two types of calcium channels in single smooth muscle cells from rabbit ear artery studied with whole-cell and single-channel recordings, I-10
Voltage-dependent modulation of cardiac calcium channel current by optical isomers of Bay K 8644: Implications for channel gating, I-1
Dihydropyridine calcium-channel activators and inhibitors
Analysis of the properties of binding of calcium-channel activators and inhibitors to dihydropyridine receptors in chick heart membranes, 379
Dihydropyridine receptors
Analysis of the properties of binding of calcium-channel activators and inhibitors to dihydropyridine receptors in chick heart membranes, 379
Dilated cardiomyopathy
Abnormal intracellular calcium handling in myocardium from patients with end-stage heart failure, 70
Distensibility, ventricular
Acute decrease in left ventricular diastolic chamber distensibility during simulated angina in isolated hearts, 925
Dobutamine
β-Adrenergic inotropic responsiveness of patients with heart failure: Studies with intracoronary dobutamine infusion, I-82
Dog
Quantification of coronary artery bypass flow reserve in dogs using cine-computed tomography, II-117
Dopamine
Catecholamine stimulation, substrate competition, and myocardial glucose uptake in conscious dogs assessed with positron emission tomography, II-124
Dopamine β-hydroxylase
Effects of chronic progressive myocardial hypertrophy on indexes of cardiac autonomic innervation, 55
Doppler
Quantification of coronary artery bypass flow reserve in dogs using cine-computed tomography, II-117
Down-regulation
Desensitization of postjunctional α_1- and α_2-adrenergic receptor-mediated vasopressor responses in rat harboring pheochromocytoma, 86

E

Edema, myocardial
Change in $(dP/dt)_{max}$ as an index of myocardial microvascular permeability, 203
Edema, organ
Group B streptococcal sepsis in the piglet: Effects of fluid therapy on venous return, organ edema, and organ blood flow, 659
Edema, pulmonary
Effect of edema on segmental vascular resistance in isolated lamb lungs determined by micropuncture, 236
Ejection dynamics, left ventricular
Nonobstructive left ventricular ejection pressure gradients in man, 220
Elastance, atrial
Instantaneous pressure-volume relation of the ejecting canine left atrium, 209
Elastance, time-varying
Correlation of force-length area with oxygen consumption in ferret papillary muscle, 318
Electrical propagation, discontinuous
A model study of the effects of the discrete cellular structure on electrical propagation in cardiac tissue, 815
Electrolytic lesions
Preoptic hypothalamic control of arteriolar vasodilatory responses, II-32
Electrophysiologic matrix
Effects of quinidine sulfate on the balance among active and passive cellular properties that comprise the electrophysiologic matrix and determine excitability in sheep Purkinje fibers, 244
Electrophysiology
Electrical uncoupling and increase of extracellular resistance after induction of ischemia in isolated, arterially perfused rabbit papillary muscle, 271
Electrophysiology, cellular
Effects of quinidine sulfate on the balance among active and passive cellular properties that comprise the electrophysiologic matrix and determine excitability in sheep Purkinje fibers, 244
Embryonic heart
Transitions in cardiac isomyosin expression during differentiation of the embryonic chick heart, 287
Encephalomyocarditis virus
Immunological identification of lymphocyte subsets in experimental murine myocarditis with encephalomyocarditis virus: Different kinetics of lymphocyte subsets between the heart and the peripheral blood, and significance of Thy 1.2^+ (Pan T) and Lyt 1^+, 23^+ (immature T) subsets in the development of myocarditis, 715
Endothelial cells
Bradykinin-induced increases in cytosolic calcium and ionic currents in cultured bovine aortic endothelial cells, 632
Endothelial cells, cultured
Abluminal release and asymmetrical response of the rabbit arterial wall to endothelium-derived relaxing factor, II-68
Endothelium
Adenosine release by the isolated guinea pig heart in response to isoproterenol, acetylcholine, and acidosis: The minimal role of vascular endothelium, 594
Alterations of vascular reactivity in atherosclerosis, II-74
Attenuation of endothelium-related relaxation and enhanced responsiveness of vascular smooth muscle to histamine in spastic coronary arterial segments from miniature pigs, 772
Blood flow- and endothelium-mediated vasomotion of iliac arteries in conscious dogs, II-88
Effect of age on blood pressure and membrane-dependent vascular responses in the rat, 889
Electrical responses of smooth muscle cells during cholinergic vasodilation in the rabbit saphenous artery, 586

Endothelium-derived relaxing factor from pulmonary artery and vein possesses pharmacologic and chemical properties identical to those of nitric oxide radical, 866
Platelet-activating factor effects on bovine pulmonary artery endothelial cells, 389
Release of endothelium-derived relaxing factor from freshly harvested porcine endothelial cells, 548
Vasoactive effects of serotonin on proximal coronary arteries in awake dogs, II-81
Endothelium-dependent relaxation
Hydroxyl radical mediates the endothelium-dependent relaxation produced by bradykinin in mouse cerebral arterioles, 602
Mechanism of histamine actions in human coronary arteries, 280
Endothelium-derived relaxing factor
Abluminal release and asymmetrical response of the rabbit arterial wall to endothelium-derived relaxing factor, II-68
Endothelium-derived relaxing factor from pulmonary artery and vein possesses pharmacologic and chemical properties identical to those of nitric oxide radical, 866
Nature of endothelium-derived relaxing factor: Are there two relaxing mediators? II-61
Release of endothelium-derived relaxing factor from freshly harvested porcine endothelial cells, 548
Energy metabolism
Effects of components of ischemia and metabolic inhibition on delayed afterdepolarizations in guinea pig papillary muscle, 157
Entrainment, mutual
Mechanisms of sinoatrial pacemaker synchronization: A new hypothesis, 704
Epinephrine
Effects of epinephrine on coronary microvascular diameters, II-47
Essential hypertension
Evidence for increased media thickness, increased neuronal amine uptake, and depressed excitation–contraction coupling in isolated resistance vessels from essential hypertensives, 181
Estrogen
Effects of gonadectomy and hormonal replacement on rat hearts, 12
Excitation-contraction coupling
Inotropic response to hypothermia and the temperature-dependence of ryanodine action in isolated rabbit and rat ventricular muscle: Implications for excitation-contraction coupling, 761
Trans-sarcolemmal Ca^{2+} movements associated with contraction of the rabbit right ventricular wall, 805
Exercise
Diencephalic regulation of respiration and arterial pressure during actual and fictive locomotion in cat, I-53
Discharge properties of group III and IV muscle afferents: Their responses to mechanical and metabolic stimuli, I-60
Extracellular resistance
Electrical uncoupling and increase of extracellular resistance after induction of ischemia in isolated, arterially perfused rabbit papillary muscle, 271

F

fMLP
Effect of endogenously produced leukotrienes and thromboxane on renal vascular resistance in rabbit hydronephrosis, 514
Fatty acid oxidation
Metabolism of palmitate in isolated working hearts from spontaneously diabetic "BB" Wistar rats, 853
Fatty acids
Long-chain acylcarnitines mediate the hypoxia-induced increase in α_1-adrenergic receptors on adult canine myocytes, 735
Feed arteries
Propagation of vasodilation in resistance vessels of the hamster: Development and review of a working hypothesis, II-20
Femoral artery
Effect of age on blood pressure and membrane-dependent vascular responses in the rat, 889
Nature of endothelium-derived relaxing factor: Are there two relaxing mediators? II-61
Finger blood flow
Sex differences in peripheral vascular adrenergic receptors, 581
Flow
Nature of endothelium-derived relaxing factor: Are there two relaxing mediators? II-61
Flow cytometry
Immunological identification of lymphocyte subsets in experimental murine myocarditis with encephalomyocarditis virus: Different kinetics of lymphocyte subsets between the heart and the peripheral blood, and significance of Thy 1.2^+ (Pan T) and Lyt 1^+, 23^+ (immature T) subsets in the development of myocarditis, 715
Flow-dependent vasodilation
Propagation of vasodilation in resistance vessels of the hamster: Development and review of a working hypothesis, II-20
Flow rate, ejection
Nonobstructive left ventricular ejection pressure gradients in man, 220
Fluorescence
Voltage dependence of intracellular $[Ca^{2+}]_i$ transients in guinea pig ventricular myocytes, 148
Fluxes, $^{42}K^+$, $^{36}Cl^-$
Depolarization-stimulated $^{42}K^+$ efflux in rat aorta is calcium- and cellular volume-dependent, 1
Force-frequency relation
Cytosolic calcium staircase in cultured myocardial cells, 934
Freeze-fracture
Membrane structure in ultrarapidly frozen, unpretreated, freeze-fractured myocardium, 141
Free radicals
Direct detection of free radicals in the reperfused rat heart using electron spin resonance spectroscopy, 757
Proarrhythmic effects of an oxygen-derived free radical generating system on action potentials recorded from guinea pig ventricular myocardium: A possible cause of reperfusion-induced arrhythmias, 50
Frequency analysis
Vibrational analysis of bioprosthetic heart valve leaflets using numerical models: Effects of leaflet stiffening, calcification, and perforation, 687
Functional border zone
Changes in contractility fail to alter the size of the functional border zone in anesthetized dogs, 166
Fura2
Bradykinin-induced increases in cytosolic calcium and ionic currents in cultured bovine aortic endothelial cells, 632
Voltage dependence of intracellular $[Ca^{2+}]_i$ transients in guinea pig ventricular myocytes, 148

G

Gap junctions
Propagation of vasodilation in resistance vessels of the hamster: Development and review of a working hypothesis, II-20
Glomerular filtration pressure
PVP-sieving curves as an estimate of glomerular hemodynamics in $HgCl_2$ acute renal failure in the dog, 311
Glomerular permeability
Role of abnormally high transmural pressure in the permselectivity defect of glomerular capillary wall: A study in early passive Heymann nephritis, 531
Glomerular ultrafiltration coefficient
PVP-sieving curves as an estimate of glomerular hemodynamics in $HgCl_2$ acute renal failure in the dog, 311
Glucose
Catecholamine stimulation, substrate competition and myocardial glucose uptake in conscious dogs assessed with positron emission tomography, II-124
Glutathione
Protection by verapamil of mitochondrial glutathione equilibrium and phospholipid changes during reperfusion of ischemic canine myocardium, 301
Granulocytes
Granulocytes cause reperfusion ventricular dysfunction after 15-minute ischemia in the dog, 20

Group B streptococcus
Group B streptococcal sepsis in the piglet: Effects of fluid therapy on venous return, organ edema, and organ blood flow, 659
Guinea pig myocyte
Neurotoxins that act selectively on voltage-dependent cardiac calcium channels, I-6

H

Heart
Age-dependent increase in xanthine oxidoreductase differs in various heart cell types, 605
Heart cell
Age-dependent increase in xanthine oxidoreductase differs in various heart cell types, 605
Heart cells, cultured
Cytosolic calcium staircase in cultured myocardial cells, 934
Heart failure
β-Adrenergic inotropic responsiveness of patients with heart failure: Studies with intracoronary dobutamine infusion, I-82
Metaiodobenzylguanidine [^{131}I] scintigraphy detects impaired myocardial sympathetic neuronal transport function of canine mechanical-overload heart failure, 797
Heart, isolated
Global myocardial ischemia in the newborn, juvenile, and adult isolated isovolumic rabbit heart: Age-related differences in systolic function, diastolic stiffness, coronary resistance, myocardial oxygen consumption, and extracellular pH, 609
Negative inotropic effects of amrinone in the neonatal piglet heart, 847
Heart, isolated perfused rat
Enhancement of mitochondrial oxidative phosphorylation capability by hypoperfusion in isolated perfused rat heart, 880
Stimulation of phosphatidylinostitol metabolism in the isolated, perfused rat heart, 625
Heart, newborn
Negative inotropic effects of amrinone in the neonatal piglet heart, 847
Heart, perfused rat
Adenosine inhibits exocytotic release of endogenous noradrenaline in rat heart: A protective mechanism in early myocardial ischemia, 117
Tumor-promoting phorbol esters inhibit cardiac functions and induce redistribution of protein kinase C in perfused beating rat heart, 372
Heart rate
Influence of heart rate on left ventricular performance in conscious dogs, 455
Heart sounds
Vibrational analysis of bioprosthetic heart valve leaflets using numerical models: Effects of leaflet stiffening, calcification, and perforation, 687
Heart valves
Vibrational analysis of bioprosthetic heart valve leaflets using numerical models: Effects of leaflet stiffening, calcification, and perforation, 687
Hemodynamics
Cardiovascular and respiratory effects of adenosine in conscious man: Evidence for chemoreceptor activation, 779
Hemodynamics, cardiac
Cardio-renal-endocrine dynamics during stepwise infusion of physiologic and pharmacologic concentrations of atrial natriuretic factor in the dog, 63
Hemodynamics, glomerular
PVP-sieving curves as an estimate of glomerular hemodynamics in $HgCl_2$ acute renal failure in the dog, 311
Hemodynamics, rat
Effects of a drag-reducing polyelectrolyte of microscopic linear dimension (Separan AP-273) on rat hemodynamics, 787
Hemoglobin
Release of endothelium-derived relaxing factor from freshly harvested porcine endothelial cells, 548
Hemorrhage
Preoptic hypothalamic control of arteriolar vasodilatory responses, II-32
Role of right and left atria in natriuresis and atrial natriuretic factor release during blood volume changes in the conscious rat, 99
Heparin
Heparin regulates smooth muscle S phase entry in the injured rat carotid artery, 296
Hepatocytes
Pathways of α_1-adrenergic action: Comparison with V_1-vasopressin and A_1-angiotensin, II-1
Heterogeneity
Arrhythmic activity in reoxygenated guinea pig papillary muscles and ventricular cells, 124
Heymann nephritis
Role of abnormally high transmural pressure in the permselectivity defect of glomerular capillary wall: A study in early passive Heymann nephritis, 531
Histamine
Mechanism of histamine actions in human coronary arteries, 280
Histamine H_1 and H_2 receptors
Mechanism of histamine actions in human coronary arteries, 280
Human
Cardiovascular and respiratory effects of adenosine in conscious man: Evidence for chemoreceptor activation, 779
Developmental changes in the human cardiac isomyosin distribution: An immunohistochemical study using monoclonal antibodies, 329
Hydraulic pressure difference, transcapillary
Role of abnormally high transmural pressure in the permselectivity defect of glomerular capillary wall: A study in early passive Heymann nephritis, 531
5-Hydroxytryptamine
Accumulation of 5-hydroxytryptamine leads to dysfunction of adrenergic nerves in canine coronary artery following intimal damage in vivo, 829
Hypertension
Cerebral circulation: Effects of sympathetic nerves and protective mechanisms during hypertension, II-102
Control of lumbar sympathetic nerve traffic by vagal cardiopulmonary baroreflexes in renal hypertension, I-72
Enhanced responsiveness to carotid baroreceptor unloading in conscious dogs during development of perinephritic hypertension, 678
Failure of swimming exercise to improve capillarization in cardiac hypertrophy of renal hypertensive rats, 641
Hypertension, acute
Acute hypertension selectively potentiates constrictor responses of large coronary arteries to serotonin by altering endothelial function in vivo, 904
Hyperthyroidism
Influence of thyroid status on intracellular distribution of cardiac adrenoceptors, 824
Hypertrophy
Influence of thyroid status on intracellular distribution of cardiac adrenoceptors, 824
Hypertrophy, left ventricular
Effect of age on the development of cardiac hypertrophy produced by aortic constriction in the rat, 337
Hypertrophy, right ventricular
Effects of chronic progressive myocardial hypertrophy on indexes of cardiac autonomic innervation, 55
Hypoperfusion
Enhancement of mitochondrial oxidative phosphorylation capability by hypoperfusion in isolated perfused rat heart, 880
Hypothalamus
Diencephalic regulation of respiration and arterial pressure during actual and fictive locomotion in cat, I-53
Neurogenic regulation of coronary blood flow: Evidence for a central nervous system pathway, II-42
Hypothermia
Effect of changes in ventricular relaxation on early diastolic coronary blood flow in canine hearts, 747
Hypothyroidism
Influence of thyroid status on intracellular distribution of cardiac adrenoceptors, 824
Hypoxia
Hypoxia does not alter angiotensin converting enzyme activity in hamster pulmonary microvessels, 228

Hypoxia-reoxygenation
Arrhythmic activity in reoxygenated guinea pig papillary muscles and ventricular cells, 124

I

Iliac artery
Blood flow- and endothelium-mediated vasomotion of iliac arteries in conscious dogs, II-88
Immunofluorescence
Developmental changes in the human cardiac isomyosin distribution: An immunohistochemical study using monoclonal antibodies, 329
Transitions in cardiac isomyosin expression during differentiation of the embryonic chick heart, 287
Immunoperoxidase staining
Immunological identification of lymphocyte subsets in experimental murine myocarditis with encephalomyocarditis virus: Different kinetics of lymphocyte subsets between the heart and the peripheral blood, and significance of Thy 1.2^+ (Pan T) and Lyt 1^+, 23^+ (immature T) subsets in the development of myocarditis, 715
Indol
Cytosolic calcium staircase in cultured myocardial cells, 934
Role of changes in $[Ca^{2+}]_i$ in energy deprivation contracture, 726
Infarction, myocardial
Long-chain acylcarnitines mediate the hypoxia-induced increase in α_1-adrenergic receptors on adult canine myocytes, 735
Inflammation, renal
Effect of endogenously produced leukotrienes and thromboxane on renal vascular resistance in rabbit hydronephrosis, 514
Inositol trisphosphate
Pertussis toxin-insensitive phosphoinositide hydrolysis, membrane depolarization, and positive inotropic effect of carbachol in chick atria, 436
Stimulation of phosphatidylinostitol metabolism in the isolated, perfused rat heart, 625
Instantaneous elasticity
Instantaneous pressure-volume relation of the ejecting canine left atrium, 209
Intercalated disks
A model study of the effects of the discrete cellular structure on electrical propagation in cardiac tissue, 815
Internalization
Influence of thyroid status on intracellular distribution of cardiac adrenoceptors, 824
Intestinal growth, juvenile
Quantification of intestinal microvascular growth during maturation: Techniques and observations, 616
Intestine
Selective antagonism of hormone-induced vasoconstriction by synthetic atrial natriuretic factor in the rat microcirculation, 42
Intraventricular pressure gradients
Nonobstructive left ventricular ejection pressure gradients in man, 220
Ischemia
Discharge properties of group III and IV muscle afferents: Their responses to mechanical and metabolic stimuli, I-60
Effects of components of ischemia and metabolic inhibition on delayed afterdepolarizations in guinea pig papillary muscle, 157
Electrical uncoupling and increase of extracellular resistance after induction of ischemia in isolated, arterially perfused rabbit papillary muscle, 271
Granulocytes cause reperfusion ventricular dysfunction after 15-minute ischemia in the dog, 20
Long-chain acylcarnitines mediate the hypoxia-induced increase in α_1-adrenergic receptors on adult canine myocytes, 735
Ischemia, myocardial
Acute decrease in left ventricular diastolic chamber distensibility during simulated angina in isolated hearts, 925
Adenosine inhibits exocytotic release of endogenous noradrenaline in rat heart: A protective mechanism in early myocardial ischemia, 117
Enhancement of mitochondrial oxidative phosphorylation capability by hypoperfusion in isolated perfused rat heart, 880
Global myocardial ischemia in the newborn, juvenile, and adult isolated isovolumic rabbit heart: Age-related differences in systolic function, diastolic stiffness, coronary resistance, myocardial oxygen consumption, and extracellular pH, 609
Reentrant and nonreentrant mechanisms contribute to arrhythmogenesis during early myocardial ischemia: Results using three-dimensional mapping, 352
Ischemia/reperfusion
Protection by verapamil of mitochondrial glutathione equilibrium and phospholipid changes during reperfusion of ischemic canine myocardium, 301
Isomyosins
Major alterations in relaxation during cardiac hypertrophy induced by aortic stenosis in guinea pig, 107
Isoproterenol
Adenosine release by the isolated guinea pig heart in response to isoproterenol, acetylcholine, and acidosis: The minimal role of vascular endothelium, 594
Changes in contractility fail to alter the size of the functional border zone in anesthetized dogs, 166
Left ventricular sensitivity to β-adrenoceptor-stimulating drugs in patients with ischemic heart disease and varying degrees of ventricular dysfunction, I-91
Isovolumic heart perfusion technique
Negative inotropic effects of amrinone in the neonatal piglet heart, 847

J

Junction potential, excitatory
Electrical responses of smooth muscle cells during cholinergic vasodilation in the rabbit saphenous artery, 586

K

Kidney decapsulation
Renal vascular adjustments to partial renal venous obstruction in dog kidney, 194

L

Letter to the editor
Letter to the editor re: Calcium-dependent enhancement of myocardial diastolic tone and energy utilization dissociates systolic work and oxygen consumption during low sodium perfusion (*Circ Res* 1985;57:876–888), 155
Lipid-hydroxy acids
Protection by verapamil of mitochondrial glutathione equilibrium and phospholipid changes during reperfusion of ischemic canine myocardium, 301
Lipoxygenase
Nature of endothelium-derived relaxing factor: Are there two relaxing mediators? II-61
Localization
Age-dependent increase in xanthine oxidoreductase differs in various heart cell types, 605
Lung lymph
Prostaglandin E_1 prevents increased lung microvascular permeability during intravascular complement activation in sheep, 420
Lung micropuncture
Effect of edema on segmental vascular resistance in isolated lamb lungs determined by micropuncture, 236
Lymph flow, myocardial
Change in $(dP/dt)_{max}$ as an index of myocardial microvascular permeability, 203
Lymphocyte subsets
Immunological identification of lymphocyte subsets in experimental murine myocarditis with encephalomyocarditis virus: Different kinetics of lymphocyte subsets between the heart and the peripheral

blood, and significance of Thy 1.2 $^{+}$ (Pan T) and Lyt 1^{+}, 23^{+} (immature T) subsets in the development of myocarditis, 715

M

Macromolecular sieving curves
PVP-sieving curves as an estimate of glomerular hemodynamics in $HgCl_2$ acute renal failure in the dog, 311
Mapping, peptide
Isolation and characterization of myosin heavy chain isozymes of the bovine conduction system, 859
Mapping, phosphopeptide
Myosin light chain isoforms and their phosphorylation in arterial smooth muscle, 898
Maturation
Quantification of intestinal microvascular growth during maturation: Techniques and observations, 616
Mechano-receptors
Contrasting effects of static and pulsatile pressure on carotid baroreceptor activity in dogs, 648
Membrane depolarization, atrial
Pertussis toxin-insensitive phosphoinositide hydrolysis, membrane depolarization, and positive inotropic effect of carbachol in chick atria, 436
Membrane potential, resting
Electrical uncoupling and increase of extracellular resistance after induction of ischemia in isolated, arterially perfused rabbit papillary muscle, 271
Mercuric chloride
PVP-sieving curves as an estimate of glomerular hemodynamics in $HgCl_2$ acute renal failure in the dog, 311
Mesenteric vascular bed
Influence of calcium-entry blockade on vasoconstrictor responses in feline mesenteric vascular bed, 570
Metaiodobenzylguanidine
Metaiodobenzylguanidine [^{131}I] scintigraphy detects impaired myocardial sympathetic neuronal transport function of canine mechanical-overload heart failure, 797
Microcirculation
Effects of epinephrine on coronary microvascular diameters, II-47
Hypoxia does not alter angiotensin converting enzyme activity in hamster pulmonary microvessels, 228
Preoptic hypothalamic control of arteriolar vasodilatory responses, II-32
Propagation of vasodilation in resistance vessels of the hamster: Development and review of a working hypothesis, II-20
Response of the microcirculation in rat cremaster muscle to peripheral and central sympathetic stimulation, II-26
Micropuncture
Role of abnormally high transmural pressure in the permselectivity defect of glomerular capillary wall: A study in early passive Heymann nephritis, 531
Microvascular growth
Quantification of intestinal microvascular growth during maturation: Techniques and observations, 616
Microvascular permeability, lung
Prostaglandin E_1 prevents increased lung microvascular permeability during intravascular complement activation in sheep, 420
Microvascular permeability, myocardial
Change in $(dP/dt)_{max}$ as an index of myocardial microvascular permeability, 203
Microvascular pressures
Effect of edema on segmental vascular resistance in isolated lamb lungs determined by micropuncture, 236
Microvessel innervation
Propagation of vasodilation in resistance vessels of the hamster: Development and review of a working hypothesis, II-20
Microvessels, peripheral
Hypoxia does not alter angiotensin converting enzyme activity in hamster pulmonary microvessels, 228
Microvessels, pulmonary
Hypoxia does not alter angiotensin converting enzyme activity in hamster pulmonary microvessels, 228
Mitochondria
Control of cytosolic calcium activity during low sodium exposure in cultured chick heart cells, 29
Model, discontinuous cable
A model study of the effects of the discrete cellular structure on electrical propagation in cardiac tissue, 815
Model, forward-inverse electrocardiographic
Forward and inverse electrocardiographic calculations using resistor network models of the human torso, 504
Modeling, finite element
Vibrational analysis of bioprosthetic heart valve leaflets using numerical models: Effects of leaflet stiffening, calcification, and perforation, 687
Models, mathematical
Mechanisms of sinoatrial pacemaker synchronization: A new hypothesis, 704
Monoclonal antibodies
Developmental changes in the human cardiac isomyosin distribution: an immunohistochemical study using monoclonal antibodies, 329
Immunological identification of lymphocyte subsets in experimental murine myocarditis with encephalomyocarditis virus: Different kinetics of lymphocyte subsets between the heart and the peripheral blood, and significance of Thy 1.2 $^{+}$ (Pan T) and Lyt 1^{+}, 23^{+} (immature T) subsets in the development of myocarditis, 715
Isolation and characterization of myosin heavy chain isozymes of the bovine conduction system, 859
Transitions in cardiac isomyosin expression during differentiation of the embryonic chick heart, 287
Muscarinic agonist
Pertussis toxin-insensitive phosphoinositide hydrolysis, membrane depolarization, and positive inotropic effect of carbachol in chick atria, 436
Muscular contraction
Discharge properties of group III and IV muscle afferents: Their responses to mechanical and metabolic stimuli, I-60
Myocardial metabolism
Catecholamine stimulation, substrate competition, and myocardial glucose uptake in conscious dogs assessed with positron emission tomography, II-124
Myocardial oxygen consumption
Effects of nonselective and selective α_1-adrenergic blockade on coronary blood flow during exercise, II-36
Negative inotropic effects of amrinone in the neonatal piglet heart, 847
Myocardial structure
A model study of the effects of the discrete cellular structure on electrical propagation in cardiac tissue, 815
Myocarditis
Immunological identification of lymphocyte subsets in experimental murine myocarditis with encephalomyocarditis virus: Different kinetics of lymphocyte subsets between the heart and the peripheral blood, and significance of Thy 1.2 $^{+}$ (Pan T) and Lyt 1^{+}, 23^{+} (immature T) subsets in the development of myocarditis, 715
Myocardium
Inotropic response to hypothermia and the temperature-dependence of ryanodine action in isolated rabbit and rat ventricular muscle: Implications for excitation-contraction coupling, 761
Transitions in cardiac isomyosin expression during differentiation of the embryonic chick heart, 287
Myocardium, stunned
Reversibly injured, postischemic canine myocardium retains normal contractile reserve, 834
Myosin
Developmental changes in the human cardiac isomyosin distribution: An immunohistochemical study using monoclonal antibodies, 329
Effects of gonadectomy and hormonal replacement on rat hearts, 12
Transitions in cardiac isomyosin expression during differentiation of the embryonic chick heart, 287
Myosin isoenzymes
Isolation and characterization of myosin heavy chain isozymes of the bovine conduction system, 859
Myosin light chain isoforms
Myosin light chain isoforms and their phosphorylation in arterial smooth muscle, 898

N

Na–Ca exchange
Calcium and magnesium transport by in situ mitochondria: Electron probe analysis of vascular smooth muscle, 523
Control of cytosolic calcium activity during low sodium exposure in cultured chick heart cells, 29
Voltage dependence of intracellular $[Ca^{2+}]_i$ transients in guinea pig ventricular myocytes, 148
Neonatal pulmonary circulation
Effect of edema on segmental vascular resistance in isolated lamb lungs determined by micropuncture, 236
Neurohypophysis
Influence of chemoreceptors on neurohypophyseal blood flow during hypoxic hypoxia, II-94
Neutrophils
Prostaglandin E_1 prevents increased lung microvascular permeability during intravascular complement activation in sheep, 420
Newborn heart
Global myocardial ischemia in the newborn, juvenile, and adult isolated isovolumic rabbit heart: Age-related differences in systolic function, diastolic stiffness, coronary resistance, myocardial oxygen consumption, and extracellular pH, 609
Nifedipine
Trans-sarcolemmal Ca^{2+} movements associated with contraction of the rabbit right ventricular wall, 805
Nitrendipine
Affinity purification of antibodies specific for 1,4-dihydropyridine Ca^{2+} channel blockers, I-37
Nitric oxide
Endothelium-derived relaxing factor from pulmonary artery and vein possesses pharmacologic and chemical properties identical to those of nitric oxide radical, 866
Nitrite
Endothelium-derived relaxing factor from pulmonary artery and vein possesses pharmacologic and chemical properties identical to those of nitric oxide radical, 866
Nitroglycerin
Effects of atrial natriuretic peptide on proximal epicardial coronary arteries and coronary blood flow in conscious dogs, 485
Noradrenaline
Evidence for increased media thickness, increased neuronal amine uptake, and depressed excitation–contraction coupling in isolated resistance vessels from essential hypertensives, 181
Noradrenaline release, exocytotic
Adenosine inhibits exocytotic release of endogenous noradrenaline in rat heart: A protective mechanism in early myocardial ischemia, 117
Noradrenaline release, presynaptic modulation
Adenosine inhibits exocytotic release of endogenous noradrenaline in rat heart: A protective mechanism in early myocardial ischemia, 117
Norepinephrine
Dual effects of norepinephrine and mechanisms of baroreceptor stimulation, 409
Effects of chronic progressive myocardial hypertrophy on indexes of cardiac autonomic innervation, 55
Negative inotropic effects of amrinone in the neonatal piglet heart, 847
Selective antagonism of hormone-induced vasoconstriction by synthetic atrial natriuretic factor in the rat microcirculation, 42
Norepinephrine kinetics
Norepinephrine kinetics during orthostatic stress in congestive heart failure, I-87
Norepinephrine, plasma
Norepinephrine kinetics during orthostatic stress in congestive heart failure, I-87

O

***O.s. scutellatus* neurotoxin**
Neurotoxins that act selectively on voltage-dependent cardiac calcium channels, I-6
Occlusion, venous
Sex differences in peripheral vascular adrenergic receptors, 581
Ornithine
Heparin regulates smooth muscle S phase entry in the injured rat carotid artery, 296
Orthostatic stress
Norepinephrine kinetics during orthostatic stress in congestive heart failure, I-87
Ouabain
Calcium and magnesium transport by in situ mitochondria: Electron probe analysis of vascular smooth muscle, 523
Oxotremorine
Electrical responses of smooth muscle cells during cholinergic vasodilation in the rabbit saphenous artery, 586
Oxygen supply, heart
Failure of swimming exercise to improve capillarization in cardiac hypertrophy of renal hypertensive rats, 641

P

Pacemaker shift
Mechanisms of sinoatrial pacemaker synchronization: A new hypothesis, 704
Parasympathetic nervous system
Effects of chronic progressive myocardial hypertrophy on indexes of cardiac autonomic innervation, 55
Pertussis toxin
Pertussis toxin-insensitive phosphoinositide hydrolysis, membrane depolarization, and positive inotropic effect of carbachol in chick atria, 436
Positive vs. negative inotropic effects of carbachol in avian atrial muscle: Role of N_i-like protein, I-105
Pharmacology
Effects of quinidine sulfate on the balance among active and passive cellular properties that comprise the electrophysiologic matrix and determine excitability in sheep Purkinje fibers, 244
Phentolamine
Effects of nonselective and selective α_1-adrenergic blockade on coronary blood flow during exercise, II-36
Renal vascular adjustments to partial renal venous obstruction in dog kidney, 194
8-Phenyl theophylline
Intestinal arteriolar responses to mucosal and serosal applications of adenosine analogues, 187
Pheochromocytoma
Desensitization of postjunctional α_1- and α_2-adrenergic receptor-mediated vasopressor responses in rat harboring pheochromocytoma, 86
Phorbol esters
Platelet-activating factor effects on bovine pulmonary artery endothelial cells, 389
Tumor-promoting phorbol esters inhibit cardiac functions and induce redistribution of protein kinase C in perfused beating rat heart, 372
Phorphorylation, mitochondrial oxidative
Enhancement of mitochondrial oxidative phosphorylation capability by hypoperfusion in isolated perfused rat heart, 880
Phosphatidylinositol
Stimulation of phosphatidylinostitol metabolism in the isolated, perfused rat heart, 625
Phosphodiesterase
Subclasses of cyclic AMP-specific phosphodiesterase in left ventricular muscle and their involvement in regulating myocardial contractility, 539
Phosphoinositide turnover
Pathways of α_1-adrenergic action: Comparison with V_1-vasopressin and A_1-angiotensin, II-1
Phospholipase A_2
Evidence for a role for Na^+–H^+ exchange in activation of human platelets by PAF, II-6
Nature of endothelium-derived relaxing factor: Are there two relaxing mediators? II-61

Phospholipase C
Pertussis toxin-insensitive phosphoinositide hydrolysis, membrane depolarization, and positive inotropic effect of carbachol in chick atria, 436
Phosphorylation
Modulation of calcium channel function by phosphorylation in guinea pig ventricular cells and phospholipid bilayer membranes, I-17
Subclasses of cyclic AMP-specific phosphodiesterase in left ventricular muscle and their involvement in regulating myocardial contractility, 539
Phosphorylation, light chain
Myosin light chain isoforms and their phosphorylation in arterial smooth muscle, 898
Photoaffinity labelling
Interaction between calcium channel ligands and calcium channels, I-30
Planar bilayers
Planar bilayer reconstitution of calcium channels: Lipid effects on single-channel kinetics, I-46
Platelet-activating factor
Platelet-activating factor effects on bovine pulmonary artery endothelial cells, 389
Plethysmography
Sex differences in peripheral vascular adrenergic receptors, 581
Plethysmography, strain-gauge
Attenuation of reflex forearm vasoconstriction by α-human atrial natriuretic peptide in men, 555
Polyclonal antiserum
Comparison of molecular properties of the voltage-sensitive Ca^{2+} channel from longitudinal smooth muscle of rabbit ileum with the channel purified from transverse tubules of rabbit skeletal muscle, I-24
Polymer drag reduction
Effects of a drag-reducing polyelectrolyte of microscopic linear dimension (Separan AP-273) on rat hemodynamics, 787
Positive inotropic effect
Pertussis toxin-insensitive phosphoinositide hydrolysis, membrane depolarization, and positive inotropic effect of carbachol in chick atria, 436
Positive vs. negative inotropic effects of carbachol in avian atrial muscle: Role of N_i-like protein, I-105
Positron emission tomography
Catecholamine stimulation, substrate competition, and myocardial glucose uptake in conscious dogs assessed with positron emission tomography, II-124
Postischemic dysfunction
Reversibly injured, postischemic canine myocardium retains normal contractile reserve, 834
Potassium
Discharge properties of group III and IV muscle afferents: Their responses to mechanical and metabolic stimuli, I-60
Potentials, transmembrane
Electrical uncoupling and increase of extracellular resistance after induction of ischemia in isolated, arterially perfused rabbit papillary muscle, 271
Prazosin
Dual effects of norepinephrine and mechanisms of baroreceptor stimulation, 409
Effects of nonselective and selective α_1-adrenergic blockade on coronary blood flow during exercise, II-36
Precapillary and postcapillary resistance
Neural modulation of transcapillary exchange of fluid and solutes in whole-organ preparations, II-12
Pressoreceptor
Ionic sensitivity of baroreceptors, I-66
Pressure-volume area
Correlation of force-length area with oxygen consumption in ferret papillary muscle, 318
Pressure-volume diagram
Instantaneous pressure-volume relation of the ejecting canine left atrium, 209
Progesterone
Effects of gonadectomy and hormonal replacement on rat hearts, 12
Propranolol
Changes in contractility fail to alter the size of the functional border zone in anesthetized dogs, 166
Prostacyclin
Platelet-activating factor effects on bovine pulmonary artery endothelial cells, 389
Prostaglandins
Effect of endogenously produced leukotrienes and thromboxane on renal vascular resistance in rabbit hydronephrosis, 514
Protein kinase C
Pertussis toxin-insensitive phosphoinositide hydrolysis, membrane depolarization, and positive inotropic effect of carbachol in chick atria, 436
Platelet-activating factor effects on bovine pulmonary artery endothelial cells, 389
Tumor-promoting phorbol esters inhibit cardiac functions and induce redistribution of protein kinase C in perfused beating rat heart, 372
Proteinuria
Role of abnormally high transmural pressure in the permselectivity defect of glomerular capillary wall: A study in early passive Heymann nephritis, 531
Pulsatile pressure
Contrasting effects of static and pulsatile pressure on carotid baroreceptor activity in dogs, 648
Purification
Interaction between calcium channel ligands and calcium channels, I-30
Purification, affinity
Affinity purification of antibodies specific for 1,4-dihydropyridine Ca^{2+} channel blockers, I-37

Q

Quinidine sulfate
Effects of quinidine sulfate on the balance among active and passive cellular properties that comprise the electrophysiologic matrix and determine excitability in sheep Purkinje fibers, 244

R

RNA
Effect of age on the development of cardiac hypertrophy produced by aortic constriction in the rat, 337
Rabbit mesenteric artery
Mechanisms of flunarizine-induced vasodilation in the rabbit mesenteric artery, 446
Rabbit ventricle
Trans-sarcolemmal Ca^{2+} movements associated with contraction of the rabbit right ventricular wall, 805
Receptors, adrenergic
Sex differences in peripheral vascular adrenergic receptors, 581
Receptors, α-adrenergic
Alterations of vascular reactivity in atherosclerosis, II-74
Neurogenic regulation of coronary blood flow: evidence for a central nervous system pathway, II-42
Receptors, α_1- and α_2-adrenergic
Desensitization of postjunctional α_1- and α_2-adrenergic receptor-mediated vasopressor responses in rat harboring pheochromocytoma, 86
Receptors, β-adrenergic
β-Adrenergic inotropic responsiveness of patients with heart failure: Studies with intracoronary dobutamine infusion, I-82
Platelet-activating factor effects on bovine pulmonary artery endothelial cells, 389
Structural properties of the α_1-adrenergic receptor: Studies with membrane and purified receptor preparations, I-100
Receptors, antiarrhythmic drug
A receptor for type I antiarrhythmic drugs associated with rat cardiac sodium channels, 492
Receptors, cardiac
Control of lumbar sympathetic nerve traffic by vagal cardiopulmonary baroreflexes in renal hypertension, I-72

Effects of left ventricular receptor stimulation on coronary blood flow in conscious dogs, II-54
Receptors, 1,4-dihydropyridine
Interaction between calcium channel ligands and calcium channels, I-30
Receptors, muscarinic
Positive vs. negative inotropic effects of carbachol in avian atrial muscle: Role of N_i-like protein, I-105
Receptors, muscarinic cholinergic
Stimulation of phosphatidylinostitol metabolism in the isolated, perfused rat heart, 625
Reconstitution
Modulation of calcium channel function by phosphorylation in guinea pig ventricular cells and phospholipid bilayer membranes, I-17
Regenerated endothelium
Porcine coronary arteries with regenerated endothelium have a reduced endothelium-dependent responsiveness to aggregating platelets and serotonin, 256
Regional myocardial function
Reductions in regional myocardial function at rest in conscious dogs with chronically reduced regional coronary artery pressure, II-107
Relaxation
Endothelium-derived relaxing factor from pulmonary artery and vein possesses pharmacologic and chemical properties identical to those of nitric oxide radical, 866
Relaxation, myocardial
Acute decrease in left ventricular diastolic chamber distensibility during simulated angina in isolated hearts, 925
Effect of changes in ventricular relaxation on early diastolic coronary blood flow in canine hearts, 747
Renal blood flow
Renal vascular adjustments to partial renal venous obstruction in dog kidney, 194
Renal failure, acute
PVP-sieving curves as an estimate of glomerular hemodynamics in $HgCl_2$ acute renal failure in the dog, 311
Renal sympathetic activity
Baroreflex control of renal nerve activity in conscious animals, I-76
Renin
Cardio-renal-endocrine dynamics during stepwise infusion of physiologic and pharmacologic concentrations of atrial natriuretic factor in the dog, 63
Stimulus-response curve of the renal baroreceptor: Effect of converting enzyme inhibition and changes in salt intake, 670
Renin-angiotensin system
Effects of atrial natriuretic factor on the vasoconstrictor actions of the renin-angiotensin system in conscious rats, 134
Renal vascular adjustments to partial renal venous obstruction in dog kidney, 194
Reperfusion
Direct detection of free radicals in the reperfused rat heart using electron spin resonance spectroscopy, 757
Effect of changes in ventricular relaxation on early diastolic coronary blood flow in canine hearts, 747
Reperfusion arrhythmias
Proarrhythmic effects of an oxygen-derived free radical generating system on action potentials recorded from guinea pig ventricular myocardium: A possible cause of reperfusion-induced arrhythmias, 50
Protective effect of vagal stimulation on reperfusion arrhythmias in cats, 429
Reperfusion injury
Granulocytes cause reperfusion ventricular dysfunction after 15-minute ischemia in the dog, 20
Resistance, coronary
Negative inotropic effects of amrinone in the neonatal piglet heart, 847
Resistance vessels
Evidence for increased media thickness, increased neuronal amine uptake, and depressed excitation–contraction coupling in isolated resistance vessels from essential hypertensives, 181
Respiration
Cardiovascular and respiratory effects of adenosine in conscious man: Evidence for chemoreceptor activation, 779
Ryanodine
Abnormal intracellular calcium handling in myocardium from patients with end-stage heart failure, 70
Arrhythmic activity in reoxygenated guinea pig papillary muscles and ventricular cells, 124
Inotropic response to hypothermia and the temperature-dependence of ryanodine action in isolated rabbit and rat ventricular muscle: Implications for excitation-contraction coupling, 761
Voltage dependence of intracellular $[Ca^{2+}]_i$ transients in guinea pig ventricular myocytes, 148

S

Sarcolemma, myocardial
Membrane structure in ultrarapidly frozen, unpretreated, freeze-fractured myocardium, 141
Sarcomere shortening
Developmental changes in the ultrastructure and sarcomere shortening of the isolated rabbit ventricular myocyte, 465
Sarcoplasmic reticulum
Control of cytosolic calcium activity during low sodium exposure in cultured chick heart cells, 29
Major alterations in relaxation during cardiac hypertrophy induced by aortic stenosis in guinea pig, 107
Sarcoplasmic reticulum calcium release, multifocal
Synchronous occurrence of spontaneous localized calcium release from the sarcoplasmic reticulum generates action potentials in rat cardiac ventricular myocytes at normal resting membrane potential, 498
Segmental vascular resistance
Propagation of vasodilation in resistance vessels of the hamster: Development and review of a working hypothesis, II-20
Seizures
Cerebral circulation: Effects of sympathetic nerves and protective mechanisms during hypertension, II-102
Senescence
Effect of age on the development of cardiac hypertrophy produced by aortic constriction in the rat, 337
Septic shock
Group B streptococcal sepsis in the piglet: Effects of fluid therapy on venous return, organ edema, and organ blood flow, 659
Serotonin
Acute hypertension selectively potentiates constrictor responses of large coronary arteries to serotonin by altering endothelial function in vivo, 904
Dietary treatment of atherosclerosis abolishes hyperresponsiveness to serotonin: Implications for vasospasm, 346
Vasoactive effects of serotonin on proximal coronary arteries in awake dogs, II-81
Sex differences
Sex differences in peripheral vascular adrenergic receptors, 581
Sinus node
Mechanisms of sinoatrial pacemaker synchronization: A new hypothesis, 704
Skeletal muscle
Planar bilayer reconstitution of calcium channels: Lipid effects on single-channel kinetics, I-46
Selective antagonism of hormone-induced vasoconstriction by synthetic atrial natriuretic factor in the rat microcirculation, 42
Smooth muscle
Two types of calcium channels in single smooth muscle cells from rabbit ear artery studied with whole-cell and single-channel recordings, I-10
Smooth muscle, arterial
Myosin light chain isoforms and their phosphorylation in arterial smooth muscle, 898
Smooth muscle cell
Heparin regulates smooth muscle S phase entry in the injured rat carotid artery, 296
Sodium channel
A receptor for type I antiarrhythmic drugs associated with rat cardiac sodium channels, 492

Sodium excretion
Cardio-renal-endocrine dynamics during stepwise infusion of physiologic and pharmacologic concentrations of atrial natriuretic factor in the dog, 63
Sodium nitroprusside
Dual effects of norepinephrine and mechanisms of baroreceptor stimulation, 409
Sodium pump
Effect of age on blood pressure and membrane-dependent vascular responses in the rat, 889
Solubilization
Comparison of molecular properties of the voltage-sensitive Ca^{2+} channel from longitudinal smooth muscle of rabbit ileum with the channel purified from transverse tubules of rabbit skeletal muscle, I-24
Sonomicrometer
Changes in contractility fail to alter the size of the functional border zone in anesthetized dogs, 166
Spectroscopy, ESR
Direct detection of free radicals in the reperfused rat heart using electron spin resonance spectroscopy, 757
Staircase, systolic calcium
Cytosolic calcium staircase in cultured myocardial cells, 934
Strength-duration and charge-duration relations
Effects of quinidine sulfate on the balance among active and passive cellular properties that comprise the electrophysiologic matrix and determine excitability in sheep Purkinje fibers, 244
Stunned myocardium
Granulocytes cause reperfusion ventricular dysfunction after 15-minute ischemia in the dog, 20
Sudden cardiac death
Reentrant and nonreentrant mechanisms contribute to arrhythmogenesis during early myocardial ischemia: Results using three-dimensional mapping, 352
Superoxide dismutase
Proarrhythmic effects of an oxygen-derived free radical generating system on action potentials recorded from guinea pig ventricular myocardium: A possible cause of reperfusion-induced arrhythmias, 50
Release of endothelium-derived relaxing factor from freshly harvested porcine endothelial cells, 548
Surface charge
Planar bilayer reconstitution of calcium channels: lipid effects on single-channel kinetics, I-46
Sympathetic nerves
Control of lumbar sympathetic nerve traffic by vagal cardiopulmonary baroreflexes in renal hypertension, I-72
Evidence for increased media thickness, increased neuronal amine uptake, and depressed excitation–contraction coupling in isolated resistance vessels from essential hypertensives, 181
Neurogenic regulation of coronary blood flow: Evidence for a central nervous system pathway, II-42
Sympathetic nervous system
Effects of chronic progressive myocardial hypertrophy on indexes of cardiac autonomic innervation, 55
Norepinephrine kinetics during orthostatic stress in congestive heart failure, I-87
Response of the microcirculation in rat cremaster muscle to peripheral and central sympathetic stimulation, II-26
Sympathetic neural stimulation
Neural modulation of transcapillary exchange of fluid and solutes in whole-organ preparations, II-12
Sympathetic neuron
Metaiodobenzylguanidine [^{131}I] scintigraphy detects impaired myocardial sympathetic neuronal transport function of canine mechanical-overload heart failure, 797
Syrian hamsters
L-Carnitine treatment improves cardiac performance and restores high-energy phosphate pools in cardiomyopathic Syrian hamster, 396
Systolic loading, myocardial
Nonobstructive left ventricular ejection pressure gradients in man, 220

T

TaiCatoxin
Neurotoxins that act selectively on voltage-dependent cardiac calcium channels, I-6
Temperature
Calcium and magnesium transport by in situ mitochondria: Electron probe analysis of vascular smooth muscle, 523
Inotropic response to hypothermia and the temperature-dependence of ryanodine action in isolated rabbit and rat ventricular muscle: Implications for excitation-contraction coupling, 761
Tension-time integral
Correlation of force-length area with oxygen consumption in ferret papillary muscle, 318
Terminal vascular bed
Failure of swimming exercise to improve capillarization in cardiac hypertrophy of renal hypertensive rats, 641
Testosterone
Effects of gonadectomy and hormonal replacement on rat hearts, 12
Thin fiber somatic afferents
Discharge properties of group III and IV muscle afferents: Their responses to mechanical and metabolic stimuli, I-60
Thromboxane
Platelet-activating factor effects on bovine pulmonary artery endothelial cells, 389
Prostaglandin E_1 prevents increased lung microvascular permeability during intravascular complement activation in sheep, 420
Thromboxane B_2
Evidence for a role for Na^+–H^+ exchange in activation of human platelets by PAF, II-6
Tissue pH
Global myocardial ischemia in the newborn, juvenile, and adult isolated isovolumic rabbit heart: Age-related differences in systolic function, diastolic stiffness, coronary resistance, myocardial oxygen consumption, and extracellular pH, 609
Tracer-labelled microspheres
Changes in contractility fail to alter the size of the functional border zone in anesthetized dogs, 166
Transcapillary exchange
Neural modulation of transcapillary exchange of fluid and solutes in whole-organ preparations, II-12
Transmission, adrenergic
Electrical responses of smooth muscle cells during cholinergic vasodilation in the rabbit saphenous artery, 586
Transverse stiffness
Transverse stiffness: A method for estimation of myocardial wall stress, 695
Triggered activity
Arrhythmic activity in reoxygenated guinea pig papillary muscles and ventricular cells, 124
Triglyceride accumulation
Metabolism of palmitate in isolated working hearts from spontaneously diabetic "BB" Wistar rats, 853
Tyrosine hydroxylase
Effects of chronic progressive myocardial hypertrophy on indexes of cardiac autonomic innervation, 55

U

Ultrarapid freezing
Membrane structure in ultrarapidly frozen, unpretreated, freeze-fractured myocardium, 141
Ultrastructure
Developmental changes in the ultrastructure and sarcomere shortening of the isolated rabbit ventricular myocyte, 465
Uncoupling, electrical
Electrical uncoupling and increase of extracellular resistance after induction of ischemia in isolated, arterially perfused rabbit papillary muscle, 271

V

Vagal stimulation
Protective effect of vagal stimulation on reperfusion arrhythmias in cats, 429

Vagus
Effects of left ventricular receptor stimulation on coronary blood flow in conscious dogs, II-54
Vascular resistance, forearm
Attenuation of reflex forearm vasoconstriction by α-human atrial natriuretic peptide in men, 555
Vascular resistance, pulmonary
Effect of edema on segmental vascular resistance in isolated lamb lungs determined by micropuncture, 236
Vascular resistance, regional
Effects of atrial natriuretic factor on the vasoconstrictor actions of the renin-angiotensin system in conscious rats, 134
Vascular responses, endothelium-mediated
Acute hypertension selectively potentiates constrictor responses of large coronary arteries to serotonin by altering endothelial function in vivo, 904
Vascular smooth muscle
Attenuation of endothelium-related relaxation and enhanced responsiveness of vascular smooth muscle to histamine in spastic coronary arterial segments from miniature pigs, 772
Dual effects of norepinephrine and mechanisms of baroreceptor stimulation, 409
Electrical responses of smooth muscle cells during cholinergic vasodilation in the rabbit saphenous artery, 586
Vasoconstriction
Blood flow- and endothelium-mediated vasomotion of iliac arteries in conscious dogs, II-88
Vasoactive effects of serotonin on proximal coronary arteries in awake dogs, II-81
Vasoconstrictor mechanisms
Influence of calcium-entry blockade on vasoconstrictor responses in feline mesenteric vascular bed, 570
Vasodilation
Blood flow- and endothelium-mediated vasomotion of iliac arteries in conscious dogs, II-88
Electrical responses of smooth muscle cells during cholinergic vasodilation in the rabbit saphenous artery, 586
Endothelium-derived relaxing factor from pulmonary artery and vein possesses pharmacologic and chemical properties identical to those of nitric oxide radical, 866
Preoptic hypothalamic control of arteriolar vasodilatory responses, II-32
Release of endothelium-derived relaxing factor from freshly harvested porcine endothelial cells, 548
Vasoactive effects of serotonin on proximal coronary arteries in awake dogs, II-81
Vasodilation, ascending
Propagation of vasodilation in resistance vessels of the hamster: Development and review of a working hypothesis, II-20
Vasodilation, flunarizine-induced
Mechanisms of flunarizine-induced vasodilation in the rabbit mesenteric artery, 446
Vasodilation, renal
Effects of atrial natriuretic factor on the vasoconstrictor actions of the renin-angiotensin system in conscious rats, 134
Vasopressin
Baroreflex control of renal nerve activity in conscious animals, I-76
Pathways of α_1-adrenergic action: Comparison with V_1-vasopressin and A_1-angiotensin, II-1
Selective antagonism of hormone-induced vasoconstriction by synthetic atrial natriuretic factor in the rat microcirculation, 42
Vasospasm
Porcine coronary arteries with regenerated endothelium have a reduced endothelium-dependent responsiveness to aggregating platelets and serotonin, 256
Venous capacitance
Neural modulation of transcapillary exchange of fluid and solutes in whole-organ preparations, II-12
Venous ligation
Renal vascular adjustments to partial renal venous obstruction in dog kidney, 194
Venous return
Group B streptococcal sepsis in the piglet: Effects of fluid therapy on venous return, organ edema, and organ blood flow, 659
Ventricular fibrillation
Protective effect of vagal stimulation on reperfusion arrhythmias in cats, 429
Ventricular function
Left ventricular sensitivity to β-adrenoceptor-stimulating drugs in patients with ischemic heart disease and varying degrees of ventricular dysfunction, I-91
Ventricular muscle
Subclasses of cyclic AMP-specific phosphodiesterase in left ventricular muscle and their involvement in regulating myocardial contractility, 539
Ventricular septum, isolated
Transverse stiffness: A method for estimation of myocardial wall stress, 695
Ventricular tachycardia
Reentrant and nonreentrant mechanisms contribute to arrhythmogenesis during early myocardial ischemia: Results using three-dimensional mapping, 352
Verapamil
Effect of changes in ventricular relaxation on early diastolic coronary blood flow in canine hearts, 747
Protection by verapamil of mitochondrial glutathione equilibrium and phospholipid changes during reperfusion of ischemic canine myocardium, 301
Vibrational analysis
Vibrational analysis of bioprosthetic heart valve leaflets using numerical models: Effects of leaflet stiffening, calcification, and perforation, 687
Voltage clamp
Neurotoxins that act selectively on voltage-dependent cardiac calcium channels, I-6
Voltage dependence of intracellular $[Ca^{2+}]_i$ transients in guinea pig ventricular myocytes, 148
Volume expansion
Role of right and left atria in natriuresis and atrial natriuretic factor release during blood volume changes in the conscious rat, 99

W

Wall stress, ventricular
Transverse stiffness: A method for estimation of myocardial wall stress, 695
Work efficiency, myocardial
Global myocardial ischemia in the newborn, juvenile, and adult isolated isovolumic rabbit heart: Age-related differences in systolic function, diastolic stiffness, coronary resistance, myocardial oxygen consumption, and extracellular pH, 609

X

Xamoterol
Left ventricular sensitivity to β-adrenoceptor-stimulating drugs in patients with ischemic heart disease and varying degrees of ventricular dysfunction, I-91
Xanthine oxidoreductase
Age-dependent increase in xanthine oxidoreductase differs in various heart cell types, 605